



# Riviera

## 285 325

### Standard Features

- Hypalon 2-tone white and ivory tubes, with 3 grab handles, wear patches, single rubbing strake
- Moulded deck
- Bow eye, 2 transom U bolts, 3 davit lifting points
- Reinforced aluminium oars
- Single jockey console with underseat storage, screen, rail (285)
- Double jockey console with underseat storage, screen, rail (325)
- Hand pump, repair kit, owner's manual

### Accessories

- Backrest for jockey console
- A-frame with navigation lights
- Overall boat cover

### Yamaha

Yamaha lead the world in high performance marine engines. Their range of four stroke outboards is the most complete line-up of engines offering performance, reliability and durability.

Engine models used in this Series Range:

- F15
- F20

Technical Specifications	285	325
Overall Length	2.90m	3.30m
Internal Length	1.85m	2.25m
Overall Width	1.50m	1.50m
Inside Width	0.70m	0.70m
Tube Diameter	0.40m	0.40m
Number of Air Chambers	3	3
Number of Persons	4	5
Maximum Payload	335kg	410kg
Boat Weight Std Spec	80kg	90kg
Maximum Power	15hp	20hp
Engine Shaft	S	S
Design Category	C	C
Boat Weight inc Eng/Rigging	158kg	187kg
Boat & Trailer Weight	N/A	N/A
Trailer Weight	N/A	N/A
Height on Trailer	1.90m	1.90m
Height of Boat	1.00m	1.00m
Engine Weight	53kg	59kg
Prop Size	13"	13"
Draft in Water at Rest	0.15m	0.15m
Max Speed	15knts	20knts

Ribtec carries out a continuous program of product improvement and safety awareness. Specifications are subject to change without notice, although all details are correct at the time of going to press. Ribtec products may be produced with a different trim level than originally specified. All dimensions are +/- 3%.

Please note that performance of your boat depends on engine size, propeller selection, trim settings, payload distribution and operating conditions. Refer to sections within this manual and within your engine owner's manual to obtain the best performance from your Ribeye.

Falmouth Ribeye, Falmouth Marina, Falmouth, Cornwall, TR11 2TD  
 Tel: 01326 211800 · www.falmouthribeye.co.uk · Email: sales@falmouthribeye.co.uk



# Riviera

## 405 455

### Standard Features

- Hypalon 2-tone white and ivory, with 4 grab handles, wear patches, single rubbing strake
- Moulded deck
- Bow seat with cushion and locker beneath
- Bow eye, 2 transom U bolts, anchor eye
- 2-man jockey console with underseat storage, screen, rail and steering
- Hand pump, repair kit, owner's manual

### Accessories

- Small swing back helm seat, fitted on a stowage box
- Backrest for jockey console
- Small upright console with screen and rail
- Standard 2-man helm seat, fitted on a stowage box
- Low rear seat with backrests
- A-frame with navigation lights
- Overall boat cover

### Yamaha

Yamaha lead the world in high performance marine engines. Their range of four stroke outboards is the most complete line-up of engines offering performance, reliability and durability.

Engine models used in this Series Range:

- F60 F25
- F50 F20
- F40 F15

Technical Specifications	405	455
Overall Length	4.00m	4.50m
Internal Length	3.05m	3.55m
Overall Width	1.90m	1.90m
Inside Width	1.04m	1.04m
Tube Diameter	0.43m	0.43m
Number of Air Chambers	3	3
Number of Persons	6	7
Maximum Payload	500kg	600kg
Boat Weight Std Spec	215kg	230kg
Maximum Power	40hp	60hp
Engine Shaft	L	L
Design Category	C	C
Boat Weight inc Eng/Rigging	391kg	451kg
Boat & Trailer Weight	691kg	751kg
Trailer Weight	300kg	300kg
Height on Trailer	1.95m	1.95m
Height of Boat	1.50m	1.50m
Engine Weight	110kg	110kg
Prop Size	15"	15"
Draft in Water at Rest	0.27m	0.27m
Max Speed	28knts	30knts

Ribtec carries out a continuous program of product improvement and safety awareness. Specifications are subject to change without notice, although all details are correct at the time of going to press. Ribtec products may be produced with a different trim level than originally specified. All dimensions are +/- 3%.

Please note that performance of your boat depends on engine size, propeller selection, trim settings, payload distribution and operating conditions. Refer to sections within this manual and within your engine owner's manual to obtain the best performance from your Ribtec.

Falmouth Ribeye, Falmouth Marina, Falmouth, Cornwall, TR11 2TD

Tel: 01326 211800 · www.falmouthribeye.co.uk · Email: sales@falmouthribeye.co.uk



# Riviera

## 505 555 605

### Standard Features

Hypalon 2-tone white and ivory tubes, wear patches, single rubbing strake  
 Deep V hull, monocoque construction  
 Custom carbon lay-up  
 Splashwell including drains, hull drains  
 Integral sculpted rear seat with bolster backrest and large storage area  
 Bow eye, 2 transom U bolts, anchor eye  
 90 litres underdeck fuel tank  
 Bow seat with cushion and locker beneath  
 Upright console with front seat and cushion  
 Bolster helm seat  
 A-frame with navigation lights, port & starboard, boarding platform with teak  
 Bow step with teak  
 Stainless steel flush mount bow cleat, bow U bolt  
 2 stainless steel rear flush mount cleats  
 White upholstery with a choice of piping or panelling in ivory  
 Stainless steel davit lifting eyes, 3 or 4 point  
 Hand pump, repair kit, owner's manual

### Accessories

Teak decking  
 2-man jockey seats  
 1-man jockey seats  
 Individual backrests for sculpted rear seat  
 Swing back helm seat  
 Bimini cover  
 Mooring cover  
 Boarding platform with telescopic ladder  
 Hydraulic steering

### Technical Specifications

	505	555	605
Overall Length	5.00m	5.50m	6.00m
Internal Length	4.05m	4.55m	5.05m
Overall Width	2.28m	2.28m	2.28m
Inside Width	1.38m	1.38m	1.38m
Tube Diameter	0.46m	0.46m	0.46m
Number of Air Chambers	5	5	5
Number of Persons	8	10	12
Maximum Payload	765kg	1000kg	1100kg
Boat Weight Std Spec	410kg	450kg	520kg
Maximum Power	80hp	100hp	120hp
Engine Shaft	L	L	L
Design Category	C	B	B
Boat Weight inc Eng/Rigging	750kg	793kg	890kg
Boat & Trailer Weight	1150kg	1193kg	1290kg
Trailer Weight	400kg	400kg	400kg
Height on Trailer	2.35m	2.35m	2.35m
Height of Boat	1.80m	1.80m	1.80m
Engine Weight	170kg	170kg	200kg
Prop Size	19"	19"	19"
Draft in Water at Rest	0.47m	0.47m	0.47m
Max Speed	32knts	35knts	40knts

Ribtec carries out a continuous program of product improvement and safety awareness. Specifications are subject to change without notice, although all details are correct at the time of going to press. Ribtec products may be produced with a different trim level than originally specified. All dimensions are +/- 3%.

Please note that performance of your boat depends on engine size, propeller selection, trim settings, payload distribution and operating conditions. Refer to sections within this manual and within your engine owner's manual to obtain the best performance from your Ribtec.

Falmouth Ribeye, Falmouth Marina, Falmouth, Cornwall, TR11 2TD  
 Tel: 01326 211800 · www.falmouthribeye.co.uk · Email: sales@falmouthribeye.co.uk



### Standard Rigging for Riviera Series

- Control box flush mounted on side
- Ignition switch panel & lanyard
- Hydraulic steering Sea Star Helm (F115 only)
- Hydraulic steering Sea Star Ram (F115 only)
- Fuel filter & connector
- Chrome transom bracket
- Rigging grommets
- 4-Stroke oil 10w40 5ltrs
- Ultraflex ST cables
- TFXtreme remote control cables
- Battery & battery box
- Bilge pump, auto Rulemate
- Bilge pump switch
- Seaworld switch panel
- Hull bungs
- Engine nutlock
- Yamaha toolkit
- Repair kit & hand pump

### Yamaha

Yamaha lead the world in high performance marine engines. Their range of four stroke outboards is the most complete line-up of engines offering performance, reliability and durability.

Engine models used in this YT Series range:

- F115
- F100
- F80
- F60



### Trailers

Ribtec trailers are available for the full range of Ribtec boats, and are set up specifically to aid launch and recovery.

The following come as standard:

- Rod operated brakes
- Lighting board
- Multi-roller launch and recovery
- Hub & brake flush facility

### Electronics

We fit Navman as our chosen electronic supplier. Fitted to the Riviera Series are the 6500 GPS & 7200 VHF

This new 6500 unit offers the same multi-function features as the larger TrackFish 6600 but in a compact 5-inch display. The Navman chart, sounder and fuel options are provided with a fantastic selection of split and full screen options. This product has full integration with the VHF7200's Track-your-buddy feature and SmartCraft™ technology.





# Riviera

## 655SX 740SX

### Standard Features

Hypalon 2-tone white and ivory tubes, wear patches, single rubbing strake, 5 air chambers  
 Custom carbon lay-up  
 Deep V hull, monocoque construction with moulded deck, splashwell and integrated teak boarding platform  
 White upholstery with ivory piping  
 Odyssey console with front seat/locker, grabrail & screen  
 2 x Voyager all weather helm and crew seats (S/S)  
 Full width luxury transverse rear seat/locker  
 Underdeck stainless steel: 190ltr fuel tank, 150ltr on 655SX  
 SX A-frame with navigation lights & central ski eye  
 Stainless steel flush mount bow cleat, bow U bolt  
 2 stainless steel flush mount rear cleats  
 Anchor locker, automatic bilge pump  
 Super-grip, non-slip deck  
 Hydraulic steering & sports steering wheel  
 Stainless steel davit lifting eyes, 3 or 4 point  
 Owner's manual

### Accessories

Mooring cover  
 1-man jockey seats  
 2-man jockey seats  
 Full Teak decking  
 Bimini cover  
 Boarding platform with telescopic ladder

### Technical Specifications

	655	740
Overall Length	6.55m	7.40m
Overall Width	2.30m	2.30m
Inside Width	1.35m	1.35m
Tube Diameter	0.46m	0.46m
Number of Air Chambers	5	5
Number of Persons	10	12
Maximum Payload	1150kg	1210kg
Boat Weight Std Spec	720kg	740kg
Boat Weight inc Eng/Rigging	1654kg	1797kg
Maximum Power	150hp	250hp
Engine Shaft	XL	XL
Design Category	B	B

Ribtec carries out a continuous program of product improvement and safety awareness. Specifications are subject to change without notice, although all details are correct at the time of going to press. Ribtec products may be produced with a different trim level than originally specified. All dimensions are +/- 3%.

Please note that performance of your boat depends on engine size, propeller selection, trim settings, payload distribution and operating conditions. Refer to sections within this manual and within your engine owner's manual to obtain the best performance from your Ribtec.

Falmouth Ribeye, Falmouth Marina, Falmouth, Cornwall, TR11 2TD  
 Tel: 01326 211800 · www.falmouthribeye.co.uk · Email: sales@falmouthribeye.co.uk



### Standard Rigging for Riviera Series

- Control box flush mounted on side
- Ignition switch panel & lanyard
- Hydraulic steering Sea Star Helm
- Hydraulic steering Sea Star Ram
- Fuel filter & connector
- Chrome transom bracket
- Rigging grommets
- 4-Stroke oil 10w40 5litrs
- Ultraflex ST cables
- TFXtreme remote control cables
- Battery & battery box
- Bilge pump, auto Rulemate
- Bilge pump switch
- Seaworld switch panel
- Hull bungs
- Engine nutlock
- Yamaha toolkit
- Repair kit & hand pump

### Trailers

Ribtec trailers are available for the full range of Ribtec boats, and are set up specifically to aid launch and recovery.

The following come as standard:

- Rod operated brakes
- Lighting board
- Multi-roller launch and recovery
- Hub & brake flush facility

### Yamaha

Yamaha lead the world in high performance marine engines. Their range of four stroke outboards is the most complete line-up of engines offering performance, reliability and durability.

Engine models used in Riviera Series Range:

- 655SX - F115, F150
- 740SX - F200, F250



### Electronics

We fit Navman as our chosen electronic supplier. Fitted to the Riviera Series are the 8084 or 6500 GPS & 7200 VHF

This new 6500 unit offers the same multi-function features as the larger TrackFish 6600 but in a compact 5-inch display. The Navman chart, sounder and fuel options are provided with a fantastic selection of split and full screen options. This product has full integration with the VHF7200's Track-your-buddy feature and SmartCraft™ technology.

